openEHR clinical workshop: embrace the complexity!

Dr Ian McNicoll

Co-chair openEHR Foundation
freshEHR Clinical Informatics Ltd.
Operon Systems Ltd.

Health information is “Nasty”

Health information is “Nasty”

- Healthcare data is highly complex and ever changing
  - Biological
  - Cultural
  - Political

- Getting good requirements from clinicians is hard



Health information is



- Healthcare data is highly complex and ever changing
  - Biological
  - Cultural
  - Political
- Getting good requirements from clinicians is hard



Health information is “Superknifflig”

- Healthcare data is highly complex and ever changing
  - Biological
  - Cultural
  - Political

- Getting good requirements from clinicians is hard



Health information is UBER knifflig

- Healthcare data is highly complex and ever changing
  - Biological
  - Cultural
  - Political

- Getting good requirements from clinicians is hard



What is openEHR?

- An open specification for a health information model
- capable of supporting an open platform ecosystem
  - vendor neutral
  - technology neutral
- licensed to allow open and closed source business models

’open platform’ architecture



freshEHR

Operon

openEHR

’open platform’ architecture



openEHR Rest API + AQL

```
var request = require("request");

var options = { method: 'POST',
  url: 'https://ehrscape.code-4-health.org/rest/v1/composition',
  qs:
   { ehrId: '4ee4bad9-279e-4e33-b1d6-6572709cabee',
     templateId: 'Vital Signs Encounter (Composition)',
     committerName: 'handi',
     format: 'FLAT' },
  headers:
   { 'postman-token': 'c9819857-6acd-ca63-c055-76fd4068e0a3',
     'cache-control': 'no-cache',
     'content-type': 'application/json',
     authorization: 'Basic YzRoX3JpcHBsZV9vc2k6SW5EZUNvTVA=',
```

’open platform’ architecture





openEHR Rest API + AQL

```
var request = require("request");

var options = { method: 'POST',
  url: 'https://ehrscape.code-4-health.org/rest/v1/composition',
  qs:
   { ehrId: '4ee4bad9-279e-4e33-b1d6-6572709cabee',
     templateId: 'Vital Signs Encounter (Composition)',
     committerName: 'handi',
     format: 'FLAT' },
  headers:
   { 'postman-token': 'c9819857-6acd-ca63-c055-76fd4068e0a3',
     'cache-control': 'no-cache',
     'content-type': 'application/json',
     authorization: 'Basic YzRoX3JpcHBsZV9vc2k6SW5EZUNvTVA=',
```

openEHR CDR

freshEHR

Operon

openEHR

’open platform’ architecture





openEHR Rest API + AQL

```
var request = require("request");

var options = { method: 'POST',
  url: 'https://ehrscape.code-4-health.org/rest/v1/composition',
  qs:
   { ehrId: '4ee4bad9-279e-4e33-b1d6-6572709cabee',
     templateId: 'Vital Signs Encounter (Composition)',
     committerName: 'handi',
     format: 'FLAT' },
  headers:
   { 'postman-token': 'c9819857-6acd-ca63-c055-76fd4068e0a3',
     'cache-control': 'no-cache',
     'content-type': 'application/json',
     authorization: 'Basic YzRoX3JpcHBsZV9vc2k6SW5EZUNvTVA=',
```

openEHR

MARAND

ORACLE

freshEHR

Operon

openEHR

’open platform’ architecture





openEHR Rest API + AQL

```
var request = require("request");

var options = { method: 'POST',
  url: 'https://ehrscape.code-4-health.org/rest/v1/composition',
  qs:
   { ehrId: '4ee4bad9-279e-4e33-b1d6-6572709cabee',
     templateId: 'Vital Signs Encounter (Composition)',
     committerName: 'handi',
     format: 'FLAT' },
  headers:
   { 'postman-token': 'c9819857-6acd-ca63-c055-76fd4068e0a3',
     'cache-control': 'no-cache',
     'content-type': 'application/json',
     authorization: 'Basic YzRoX3JpcHBsZV9vc2k6SW5EZUNvTVA=',
```

openEHR

Ocean Informatics

Microsoft SQL Server

freshEHR

Operon

openEHR

’open platform’ architecture





openEHR Rest API + AQL

```
var request = require("request");

var options = { method: 'POST',
  url: 'https://ehrscape.code-4-health.org/rest/v1/composition',
  qs:
   { ehrId: '4ee4bad9-279e-4e33-b1d6-6572709cabee',
     templateId: 'Vital Signs Encounter (Composition)',
     committerName: 'handi',
     format: 'FLAT' },
  headers:
   { 'postman-token': 'c9819857-6acd-ca63-c055-76fd4068e0a3',
     'cache-control': 'no-cache',
     'content-type': 'application/json',
     authorization: 'Basic YzRoX3JpcHBsZV9vc2k6SW5EZUNvTVA=',
```

openEHR CDR

freshEHR

Operon

openEHR

’open platform’ architecture





openEHR Rest API + AQL

```
var request = require("request");

var options = { method: 'POST',
  url: 'https://ehrscape.code-4-health.org/rest/v1/composition',
  qs:
   { ehrId: '4ee4bad9-279e-4e33-b1d6-6572709cabee',
     templateId: 'Vital Signs Encounter (Composition)',
     committerName: 'handi',
     format: 'FLAT' },
  headers:
   { 'postman-token': 'c9819857-6acd-ca63-c055-76fd4068e0a3',
     'cache-control': 'no-cache',
     'content-type': 'application/json',
     authorization: 'Basic YzRoX3JpcHBsZV9vc2k6SW5EZUNvTVA=',
```

DIPS FHIR ORACLE

freshEHR

Operon

openEHR

Clinician-led information content

FreshEHR

Operon

openEHR

workshop

- Heather Leslie: Overview
  International perspective

- Silje Bakke: National perspective

- Ian McNicoll: Implementer perspective

- Plenary

freshEHR

Operon

openEHR

freshEHR

Operon

openEHR